

HEALTH AND SAFETY PRODUCTS

4WRK[®]
we care

4MD[®]
we care

SAKO
power&safety

PSI
#SAFETY SHOES



Polish Textile Group





WORKWEAR PRODUCT CATALOGUE

CONTENT

05	WORK AND SAFETY FOOTWEAR
25	MEDICAL SHOES
27	WORKING GLOVES
43	HYGIENE
45	HEAD PROTECTION
47	HEARING PROTECTION
49	EYE PROTECTION
52	RESPIRATORY PROTECTION
55	SHOES ACCESSORIES
61	OTHER PROTECTIVE EQUIPMENT AND ACCESSORIES
65	CLOTHING
73	DISPOSABLE MEDICAL PRODUCTS

VELA S1P



4WRK®
we care

WORK AND SAFETY FOOTWEAR



DIADEM

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 35-40
---------------------------	--------------	-----------	----------------	------------------------



MERGA

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 39-47
---------------------------	--------------	-----------	----------------	------------------------



ERRAI

NEW!

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 40-46
---------------------------	--------------	-----------	----------------	------------------------



RAN

NEW!

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 40-46
---------------------------	--------------	-----------	----------------	------------------------



ZOSMA

NEW!

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 36-46
---------------------------	--------------	-----------	----------------	------------------------



MARS

NEW!

UPPER: KNITT FABRIC	SOLE: PVC	LIGHT 	BREATHABLE 	SIZES: 40-46
---------------------------	--------------	-----------	----------------	------------------------



SERPENS

S1P	SR	COMPOSITE TOECAP	KEVLAR INSERT	UPPER: FABRIC + KPU
INSOCK: MESH + EVA	SOLE: RUBBER	BREATHABLE	SIZES: 36-47	EN ISO 20345



LERNA

S1P	SR	STEEL TOECAP	STEEL INSERT	UPPER: SUEDE SPLIT LEATHER POLYESTER MESH
INSOCK: MESH + EVA	SOLE: PU/PU	SLIP - ON	SIZES: 36-47	EN ISO 20345



HORNA

S1	SR	FO	UPPER: FABRIC + TPU	INSOCK: MESH + EVA
SOLE: PU/PU	STEEL TOECAP	SIZES: 36-47 35-41*	EN ISO 20345	

HORNA QLS

NEW!

S1P GREY	SR	STEEL TOECAP	STEEL INSERT	UPPER: FABRIC + TPU	SOLE: PU/PU	EN ISO 20345
S1P COLOUR	SR	COMPOSITE TOECAP	KEVLAR INSERT	UPPER: FLYKNIT + TPU	SOLE: PU/PU	SIZES: 39-47



ALRAKIS

S3	SR	COMPOSITE TOECAP	KEVLAR INSERT	UPPER: KPU
SOLE: RUBBER	SIZES: 35-48	EN ISO 20345		

ARGENT QLS

NEW!

S1	SR	STEEL TOECAP	UPPER: FABRIC	OUTSOLE: PU/PU
INSOCK: HI-POLY	SIZES: 39-47	EN ISO 20345		

WORK AND SAFETY FOOTWEAR



ENIF QLS NEW!

S1P	SR	UPPER: SUEDE LEATHER + MESH	SOLE: PU/PU	INSOLE: HI-POLY
COMPOSITE TOECAP	KEVLAR INSERT	SIZES: 36-47	EN ISO 20345	



KARAKA

SB	SR	FO	UPPER: FABRIC WITH MICROFIBER	SOLE: PU
INSOCK: EVA	STEEL TOECAP	SIZES: 36-47	EN ISO 20345	



NAVI

SB	SR	FO	UPPER: OXFORD FABRIC WITH MICROFIBER	SOLE: PU
INSOCK: EVA	STEEL TOECAP	SIZES: 39-47	EN ISO 20345	



MIRA

SB	SR	FO	UPPER: FABRIC WITH MICROFIBER	SOLE: PU/PU
INSOCK: MESH WITH EVA	STEEL TOECAP	SIZES: 36-47	EN ISO 20345	



ALASIA

SB	SR	FO	UPPER: FABRIC WITH MICROFIBER	SOLE: PU/PU
INSOCK: MESH WITH EVA	STEEL TOECAP	SIZES: 39-47	EN ISO 20345	



MIZAR

O1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	EN ISO 20347	SIZES BOTH STYLES: 36-47
S1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP	EN ISO 20345



ORION NEW!

S1P	SR	ESD	STEEL TOECAP 	STEEL INSERT 
INSOCK: HI-POLY 	UPPER: SUEDE LEATHER	SOLE: RUBBER	SIZES: 36-47	EN ISO 20345



MENSA

O1 YELLOW	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	EN ISO 20347			
S1 YELLOW	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 	EN ISO 20345	SIZES ALL STYLES: 35-47	
S1P YELLOW PETROL BLUE PINK	SR ESD	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 	STEEL INSERT 	PINK VARIANT COMPOSITE TOECAP KEVLAR PLATE	EN ISO 20345



TAURUS

S1P	SR	HRO NON METAL	UPPER: KNITWEAR TPU	SOLE: EVA RUBBER
COMPOSITE TOECAP 	KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345	



VEGA

SB	SR	UPPER: FABRIC	SOLE: PU AIR CUSHION	STEEL TOECAP 
SIZES: 35-47	EN ISO 20345			



PAVO

SB	SR	UPPER: FABRIC	SOLE: PU AIR CUSHION	STEEL TOECAP 
SIZES: 39-47	EN ISO 20345			

AERI ULTRALIGHT NEW!

SB	SR	UPPER: FABRIC + TPU	SOLE: EVA	INSOCK: HI-POLY 
COMPOSITE TOECAP 	SIZES: 39-47	EN ISO 20345		

WORK AND SAFETY FOOTWEAR



LIBRA

O1	SR	UPPER: FABRIC	SOLE: EVA	SIZES: 39-47
EN ISO 20347				



LIBRA

S1	SR	UPPER: FABRIC	SOLE: EVA	STEEL TOECAP
SIZES: 39-47	EN ISO 20345			



LIBRA QLS NEW!

S1	SR	UPPER: KNITTING FABRIC	SOLE: FOAMING RUBBER	STEEL TOECAP
SIZES: 39-47	EN ISO 20345			



ITONDA NEW!

S1	SR	UPPER: FABRIC	SOLE: PU	STEEL TOECAP
SIZES: 36-41	EN ISO 20345			



VELA QLS NEW!

S1P	SR	UPPER: KNITTING FABRIC	SOLE: FOAMING RUBBER	STEEL TOECAP
KEVLAR INSERT	SIZES: 39-47	EN ISO 20345		



FELIS

S1	SR	UPPER: FABRIC	SOLE: PU/PU	STEEL TOECAP
SIZES: 36-41	EN ISO 20345			



BELEL

S1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 
SIZES: 36-47	EN ISO 20345			



SKAT NEW!

S3	SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 
STEEL INSERT 	SIZES: 39-47	EN ISO 20345		



HELIOS NEW!

S3	SR	UPPER: NUBUCK SPLIT LEATHER	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



CITALA

S1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 
SIZES: 36-47	EN ISO 20345			



CASTOR

O1 SR	UPPER: COWHIDE SPLIT LEATHER	SOLE: PU/PU		
S1 SR	UPPER: COWHIDE SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	
S3 SR	UPPER: COWHIDE SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	STEEL INSERT 



POLLUX QLS NEW!

S3S	SR	ESD	UPPER: SUEDE MICROFIBER + TPU	SOLE: PU/PU
COMPOSITE TOECAP 	KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345	

WORK AND SAFETY FOOTWEAR



POLLUX NEW!

S3S	SR	ESD	UPPER: SUEDE MICROFIBER + TPU	SOLE: PU/PU
COMPOSITE TOECAP 	KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345	



VESPER

O1 SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	SIZES: 36-47	EN ISO 20347
S1 SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 	SIZES: 36-47 EN ISO 20345



REGOR

S2	SR	UPPER: MICROFIBER	SOLE: PU	STEEL TOECAP
SIZES: 36-47	EN ISO 20345			



PROXIMA

S3	SR	UPPER: SPLIT NUBUCK	SOLE: PU/PU	INSOCK: HI-POLY
STEEL TOECAP 	STEEL INSERT 	SIZES: 36-47	EN ISO 20345	



PROXIMA

S1P	SR	UPPER: SPLIT NUBUCK	OUTSOLE: PU/PU	INSOCK: EVA
STEEL TOECAP 	STEEL INSERT 	SIZES: 36-47	EN ISO 20345	



CURSA

OB SR	UPPER: TWO LAYER COWHIDE	SOLE: PU/PU	SIZES: 36-47	EN ISO 20347
S1 SR	UPPER: TWO LAYER COWHIDE	SOLE: PU/PU	STEEL TOECAP 	SIZES: 36-47 EN ISO 20345



CURSA

S1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	STEEL TOECAP 
SIZES: 36-47	EN ISO 20345			



ATRIA

S1	SR	ESD	UPPER: SUEDE LEATHER	SOLE: PU/PU
STEEL TOECAP 	SIZES: 35-47	EN ISO 20345		



POLARIS

S1	SR	ESD	UPPER: SUEDE LEATHER	SOLE: PU/PU
STEEL TOECAP 	SIZES: 36-47	EN ISO 20345		



SPIKA NEW!

S1	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	INSOCK: EVA 
STEEL TOECAP 	SIZES: 36-47	EN ISO 20345		



DENEBS NEW!

S1P	SR	UPPER: SUEDE LEATHER	SOLE: PU/PU	INSOCK: HI-POLY 
STEEL TOECAP 	STEEL INSERT 	SIZES: 36-47	EN ISO 20345	



PROXIMA

S3	SR	HRO	UPPER: SPLIT NUBUCK	SOLE: PU RUBBER
INSOCK: HI-POLY 	COMPOSITE TOECAP 	KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345

WORK AND SAFETY FOOTWEAR



PROXIMA

S3	SR	HRO	UPPER: SPLIT NUBUCK	SOLE: PU/PU
INSOCK: HI-POLY	STEEL TOECAP	STEEL INSERT	SIZES: 36-47	EN ISO 20345



HELIOS NEW!

S3	SR	UPPER: SPLIT NUBUCK LEATHER	SOLE: PU/PU	INSOCK: PU
COMPOSITE TOECAP	KEVLAR INSERT	SIZES: 39-47	EN ISO 20345	



CRUX QLS NEW!

S3	SR	UPPER: SPLIT NUBUCK LEATHER	SOLE: PU RUBBER	INSOCK: PU
COMPOSITE TOECAP	KEVLAR INSERT	SIZES: 39-47	EN ISO 20345	



LUHMAN NEW!

S3	SR	UPPER: SPLIT NUBUCK LEATHER	SOLE: PU/PU	INSOCK: HI-POLY
STEEL TOECAP	STEEL INSERT	SIZES: 39-47	EN ISO 20345	



HYDRA

UPPER: SUEDE LEATHER	SOLE: PU RUBBER	WATERPROOF	SIZES: 39-47
----------------------------	-----------------------	------------	------------------------



ALGOL

OB SR	UPPER: LEATHER	SOLE: PU	EN ISO 20347	SIZES BOTH STYLES: 39-47
SB SR	UPPER: LEATHER	SOLE: PU	STEEL TOECAP	EN ISO 20345



CAPELLA

O1 SR	UPPER: EMBOSSED LEATHER PU	SOLE: PU/PU	INSOCK: EVA+MESH	EN ISO 20347	SIZES BOTH STYLES: 36-47
S1 SR	UPPER: EMBOSSED LEATHER PU	SOLE: PU/PU	INSOCK: EVA+MESH	STEEL TOECAP	EN ISO 20345



PETRA

S3S SR	NM FO	UPPER: NUBUCK LEATHER	SOLE: PU/TPU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



SKAT

NEW!

S3	SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	INSOCK: EVA	
STEEL TOECAP	STEEL INSERT	SIZES: 39-47	EN ISO 20345		



VOLANS

S3L	SR FO	UPPER: ACTION CRAZY HORSE LEATHER	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



KANG

S3	SR FO	NM	UPPER: ACTION SMOOTH LEATHER	SOLE: PU/PU	
COMPOSITE TOECAP	KEVLAR INSERT	SIZES: 39-47	EN ISO 20345		



LUPUS / LUPUS QLS

S1PS SR	NM ESD	UPPER: MICROFIBER FABRIC	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		

WORK AND SAFETY FOOTWEAR



SOLARIS

O1 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	SIZES: 35-47	EN ISO 20347		
S1 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	SIZES: 36-47	EN ISO 20345	
S3 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	STEEL INSERT 	SIZES: 35-47	EN ISO 20345



SOLARIS

S3	SR NM	UPPER: SPLIT LEATHER	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



SIRIUS

S3	SR NM	UPPER: SMOOTH LEATHER	SOLE: PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



SOLARIS SIMA

S1	SR	UPPER: SMOOTH LEATHER	SOLE: PU/PU	STEEL TOECAP 
SIZES: 39-47	EN ISO 20345			



AVIOR

S3	SR	UPPER: TWO LAYER LEATHER	SOLE: TPU	STEEL TOECAP 
STEEL INSERT 	SIZES: 36-47	EN ISO 20345		



AVIOR

O1	SR	UPPER: TWO LAYER LEATHER	SOLE: TPU	SIZES: 36-47
EN ISO 20347				



TEVEL

S3	SR	UPPER: TWO LAYER LEATHER COWHIDE	SOLE: PU	STEEL TOECAP 
STEEL INSERT 	SIZES: 36-47	EN ISO 20345		



DRACO

S3	SR HRO	UPPER: COWHIDE SPLIT LEATHER	SOLE: PU RUBBER	STEEL TOECAP 
STEEL INSERT 	SIZES: 39-47	EN ISO 20345		



IZAR

S3	SR HRO	UPPER: COWHIDE SPLIT LEATHER	SOLE: PU RUBBER	STEEL TOECAP 
STEEL INSERT 	SIZES: 39-47	EN ISO 20345		



URUK WINTER ❄️

OB	SR	UPPER: EMBOSSED LEATHER	ARTIFICIAL FUR 	WARM
SOLE: PU/PU	SIZES: 39-47	EN ISO 20345		



SOLARIS WINTER ❄️

O1 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	SIZES: 35-47	EN ISO 20347				
S1 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	SIZES: 36-47	EN ISO 20345			
S3 SR	UPPER: SPLIT LEATHER	SOLE: PU/PU	STEEL TOECAP 	STEEL INSERT 	SIZES: 35-47	EN ISO 20345		

KOMONDOR ❄️

S3 SR	UPPER: ACTION SMOOTH LEATHER	SOLE: PU/PU	STEEL TOECAP 	STEEL INSERT 
EN ISO 20345	SIZES: 39-47			



ALGOL WINTER ❄️

OB SR	UPPER: EMBOSSED LEATHER	SOLE: PU	EN ISO 20347	SIZES BOTH STYLES: 39-47	 WARM
SB SR	UPPER: EMBOSSED LEATHER	SOLE: PU	STEEL TOECAP 	EN ISO 20345	



PROXIMA WINTER ❄️

S3	SR	UPPER: SPLIT NUBUCK	SOLE: PU/PU	STEEL TOECAP
STEEL INSERT 	 WARM	SIZES: 36-47	EN ISO 20345	



FURUD

S5	SRA FO	PVC	STEEL TOECAP 	STEEL INSERT 	SIZES: 36-47	EN ISO 20345
OB	SRA FO	PVC	SIZES: 36-47	EN ISO 20347	WHITE VERSION FOR THE FOOD INDUSTRY	

SAKO

05-003



WORK AND SAFETY FOOTWEAR



01-101 NEW!

S3	SR ESD	UPPER: LEATHER	SOLE: PU/PU	STEEL TOECAP 
STEEL INSERT 	EXTRA PAIR OF SHOELACES	SIZES: 39-47	EN ISO 20345	



03-001

O1	SR ESD	UPPER: SANDED LEATHER	SOLE: PU/PU	INSOCK: HI-POLY 
SIZES: 36-47	EN ISO 20347			



03-002

S1	SR ESD	UPPER: SANDED LEATHER	SOLE: PU/PU	INSOCK: HI-POLY 
COMPOSITE TOECAP 	SIZES: 36-47	EN ISO 20345		



03-003

S1	SR ESD	UPPER: SANDED LEATHER	SOLE: PU/PU	INSOCK: HI-POLY 
COMPOSITE TOECAP 	SIZES: 36-47	EN ISO 20345		



04-001

S3 SR	HRO ESD	UPPER: SANDED LEATHER	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



04-002

S3	SR HRO	UPPER: SANDED LEATHER	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-50	EN ISO 20345		



04-003

S3	SR HRO	UPPER: EMBOSSED LEATHER	SOLE: PU RUBBER	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



04-004

S3	SR HRO	UPPER: EMBOSSED LEATHER	SOLE: PU RUBBER	COMPOSITE TOECAP 
COMPOSITE TOECAP 	KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345	



05-001 / 05-007 QLS

S3S	SR ESD	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



05-002 / 05-008 QLS

S1P	SR	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



05-003

S1P	SR	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



06-005

S1P	SR HRO	UPPER: KPU MESH	SOLE: PU RUBBER	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		

WORK AND SAFETY FOOTWEAR



06-006

S3	SR HRO	UPPER: EMBOSSED LEATHER	SOLE: PU RUBBER	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



05-004 / 05-009

S3S	SR ESD	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



05-005 / 05-010 QLS

S3S	SR ESD	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



05-006

S1PS	SR ESD	UPPER: MICROFIBER TPU	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



07-001


S1PL	SR FO	UPPER: OXFORD TPU FABRIC	SOLE: PU RUBBER	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		



08-001

S3L SR	FO HRO	UPPER: ACTION NUBUCK LEATHER	SOLE: PU RUBBER	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 36-47	EN ISO 20345		

LAMEGO S3



4WRK[®]
we care



LAMEGO

S3	SR	UPPER: NUBUCK	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



BOLT QLS

S3	SR	UPPER: NUBUCK	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



SATELLITE

S3	SR	UPPER: NUBUCK	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		



ALLIGATOR

S3	SR	UPPER: NUBUCK	SOLE: PU/PU	COMPOSITE TOECAP 
KEVLAR INSERT 	SIZES: 39-47	EN ISO 20345		

VERSATILE

ADJUSTABLE STRAP STABILIZING THE FOOT

LIGHTWEIGHT

VENTILATED



4MD[®]
we care

MEDICAL SHOES



DOVE 4MD[®]

EVA FOAM	RB RUBBER	SIZES: 35-45	LIGHT 
-------------	--------------	-----------------	--



RAVEN 4MD[®]

EVA FOAM	SIZES: 35-45	LIGHT 
-------------	-----------------	--



HAWK 4MD[®]

TPE	FOR AUTOCLAV	SIZES: 35-45	LIGHT 
-----	-----------------	-----------------	--



IBIS

EVA FOAM	PVC	SIZES: 36-45	LIGHT 	COMFORT SHOE
-------------	-----	-----------------	--	-----------------

SHIELD + HYDRO

Resistance to moisture and liquids

Versality

Breathability and comfort

Durability and long lifespan

4WRK[®]
we care



SHIELD + ACTIVE

EN ISO 21420	EN 388 	NYLON SPANDEX	MICROFOAM 	
			8/M - 11/XXL	



SHIELD + ACTIVE SANDY

EN ISO 21420	EN 388 	NYLON SPANDEX	MICROFOAM 	
			8/M - 11/XXL	



SHIELD + ACTIVE DOTS

EN ISO 21420	EN 388 	NYLON SPANDEX	MICROFOAM 	
			7/S - 10/XL	



SHIELD + CUT

EN ISO 21420	EN 388 	HPPE FIBERGLASS	POLYURETHANE 	
			ANTI-CUT 	8/M - 11/XXL



SHIELD + CUT FLEX

EN ISO 21420	EN 388 	HPPE FIBERGLASS	POLYURETHANE 	
			ANTI-CUT 	8/M - 11/XXL



SHIELD + CUT N-FORCE

EN ISO 21420	EN 388 	HPPE FIBERGLASS	POLYURETHANE 	
			ANTI-CUT 	8/M - 11/XXL



NEW!

SHIELD + CUT L-GRIP

EN ISO 21420	EN 388 	HPPE	SANDY LATEX 	
			ANTI-CUT 	8/M - 11/XXL



MARIN

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			7/S - 11/XXL	



SHIELD + BRUK

EN ISO 21420	EN 388 	COTTON POLYESTER	LATEX 	
			10/XL	



SIROCCO

EN ISO 21420	EN 388 	POLYESTER	LATEX 	
			7/S - 11/XXL	



SIROCCO SANDY

EN ISO 21420	EN 388 	POLYESTER	LATEX 	
			8/M - 11/XXL	



SHAMAL

EN ISO 21420	EN 388 	POLYESTER	LATEX 	
			6/XS - 11/XXL	

WORKING GLOVES



MONSOON GARDEN

EN ISO 21420	EN 388	PES PU						9/L - 10/XL
-----------------	--------	-----------	--	--	--	--	--	-------------------



MONSOON

EN ISO 21420	EN 388	POLYESTER	PU	
			6/XS - 10/XL	



MONSOON CAMO

EN ISO 21420	EN 388	POLYESTER	PU	
			RED - 9/L GREEN - 10/XL	

BLIZZARD

EN ISO 21420	EN 388	POLYESTER	PU	
			6/XS - 10/XL	



BLIZZARD FIN

NEW!

EN ISO 21420	EN 388	POLYESTER	PU	
			6/XS - 11/XXL	



CHINOOK

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			7/S - 10/XL	



PAMPERO SANDY

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			8/M - 11/XXL	



PASSAT

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			7/S - 10/XL	



KRONA

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			9/L - 11/XXL	



KRONA LITE

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			10/XL	



BREEZE

EN ISO 21420	EN 388 	POLYESTER COTTON	LATEX 	
			9/L - 11/XXL	

WORKING GLOVES



BREEZE LITE

EN ISO 21420	EN 388 	POLYESTER COTTON	LATEX 	
			9/L - 11/XXL	



LESTE

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	
			7/S - 11/XXL	



PALI HYBRID

EN ISO 21420	EN 388 	POLYESTER	NITRILE BUTYLOBENZEN 	
			7/S - 11/XXL	



CAVER

EN ISO 21420	EN 388 	POLYESTER COTTON	LATEX 	
			10/XL	



HALNY

EN ISO 21420	EN 388 	POLYESTER	DOUBLE LATEX 	
			7/S - 11/XXL	



LODOS

EN ISO 21420	CAT.I 	POLYESTER	DOUBLE LATEX 	
			7/S - 11/XXL	



GALE

EN ISO 21420	EN 388	POLYESTER	FOAMED LATEX	
			9/L 11/XXL	



NASHI

EN ISO 21420	EN 388	COTTON	LATEX	
			10/XL	



NORTE / NORTE PRO

EN ISO 21420	EN 388	COTTON	NITRILE	
			10/XL	



SHIELD + OIL

EN ISO 21420	EN 388	COTTON	NITRILE	OIL RESISTANT
			10/XL	



HELM 35/40

EN ISO 21420	EN 388	COTTON INTERLOCK LINER	PVC	OIL RESISTANT
			10/XL	



BERG

EN ISO 21420	EN 388	COTTON	PVC	OIL RESISTANT
			10/XL	



SHIELD + HYDRO

EN ISO 21420	EN 388 	POLYESTER	LATEX 	WATERPROOF
		9/L - 11/XXL		



SHIELD + HYDRO SANDY

EN ISO 21420	EN 388 	POLYESTER	NITRILE 	WATERPROOF
		10/XL		



BISE

EN ISO 21420	EN 388 	COTTON	NITRILE 	OIL RESISTANT
			9/L - 10/XL	



ALIZE

EN ISO 21420	CAT.I	POLYESTER	BREATHABLE 	
	7/S - 10/XL			



WILLY

EN ISO 21420	CAT.I	POLYESTER	BREATHABLE 	
	PVC DOTS 	7/S - 10/XL		



SHIELD + ESD

EN ISO 21420	EN 388 	EN 16350	POLYESTER CARBON FIBRE	PU
				6/S - 11/XXL



SHIELD + ESD PRO

EN ISO 21420	EN 388 	EN 16350	POLYESTER CARBON FIBRE	PU
	BEST GRIP 			6/S - 11/XXL



BORA WINTER

EN ISO 21420	EN 388 	 EN 511	POLYESTER COTTON	LATEX
	 WARM	BEST GRIP 	9/L - 11/XXL	



PURGA WINTER

EN ISO 21420	EN 388 	 EN 511	POLYESTER COTTON	LATEX
	 WARM	BEST GRIP 	10/XL - 11/XXL	



BURAN WINTER

EN ISO 21420	EN 388 	 EN 511	POLYESTER COTTON	LATEX
	 WARM	BEST GRIP 	9/L - 11/XXL	



4DRIVER WINTER

EN ISO 21420	EN 388 	 EN 511	LEATHER	
	 WARM	BEST GRIP 	9/L - 11/XXL	



TABOR WINTER

EN ISO 21420	EN 388 	 EN 511	BUFFALO SMOOTH LEATHER	KNITTED FABRIC
	 WARM	BEST GRIP 	10,5/ XL	



HALNY WINTER

EN ISO 21420	EN 388 	EN 511 	POLYESTER	LATEX
	WARM 	BEST GRIP 	9/L - 11/XXL	



LEVANTER

EN ISO 21420	EN 388 	EN 511 	POLYESTER	LATEX
	WARM 	BEST GRIP 	9/L - 11/XXL	



VARDAR

EN ISO 21420	EN 388 	EN 511 	POLYESTER	LATEX
	WARM 	BEST GRIP 	7/S - 11/XXL	



MISTRAL

EN ISO 21420	EN 388 	EN 511 	ACRYLIC	LATEX
	WARM 	BEST GRIP 	9/L - 11/XXL	



4DRIVER

EN ISO 21420	EN 388 	LEATHER		BEST GRIP
7/S - 11/XXL				



4DRIVER PRO

EN ISO 21420	EN 388 	GRIP PART: FULL-GRAIN GOATSKIN	UPPER PART: COWHIDE SPLIT	
BEST GRIP 	9/L - 11/XXL			



ARARAT

EN ISO 21420	EN 388 	GRIP PART: LEATHER	UPPER PART: COTTON	VELCRO FASTENER
BEST GRIP 	8/M - 11/XXL			



GRANITE

EN ISO 21420	EN 388 	GRIP PART: LEATHER	UPPER PART: ELASTIC FABRIC	BEST GRIP
8/M - 11/XXL				



FUJI

EN ISO 21420	EN 388 	GRIP PART: COWHIDE LEATHER	TEXTILE UPPER AND LINING	8/M - 11/XXL
-----------------	------------	----------------------------------	--------------------------------	--------------------



LAVA

EN ISO 21420	EN 12477 + A1	EN 388 	EN 407 	COW LEATHER
LONG CUFF	WELDING GLOVES	10/XL		



VOLCANO

EN ISO 21420	EN 12477 + A1	EN 388 	EN 407 	SHEEP LEATHER
LONG CUFF	WELDING GLOVES	10/XL - 11/XXL		

MAGMA

EN ISO 21420	EN 12477 + A1	EN 388 	EN 407 	SHEEP LEATHER
LONG CUFF	WELDING GLOVES	10/XL - 11/XXL		

WORKING GLOVES



SPARK BLUE

EN ISO 21420	EN 12477 + A1	EN 388	EN 407	COWHIDE LEATHER
LONG CUFF	WELDING GLOVES	KEVLAR THREADS	10,5/XL	



TAI

EN ISO 21420	EN 388	SYNTHETIC LEATHER	RED KNITTED FABRIC	FOAM ON THE GRIP
VELCRO FASTENER	MECHANICAL GLOVES	9/L - 11/XXL		



OYU

EN ISO 21420	EN 388	SYNTHETIC LEATHER	FORWAY NYLON FABRIC	VELCRO FASTENER
MECHANICAL GLOVES	10/XL			



ASO

EN ISO 21420	EN 388	SYNTHETIC LEATHER	FORWAY NYLON FABRIC	VELCRO FASTENER
MECHANICAL GLOVES	9/L - 11/XXL			



SHIELD + IMPACT

EN ISO 21420	EN 388	NITRILE	HPPE FIBER	
IMPACT RESISTANT GLOVES	MECHANICAL GLOVES	TPR	10/XL	



TABOR

EN ISO 21420	EN 388	GRAIN GOAT LEATHER	DENIM FABRIC
LONG CUFF	10,5/XL		



ELGON

EN ISO 21420	EN 388 	COW LEATHER	DENIM FABRIC
LONG CUFF	10,5/XL		



LOGAN

EN ISO 21420	EN 388 	GOAT LEATHER	VELCRO FASTENER
BEST GRIP 	9/L - 10/XL		



HELICON

EN ISO 21420	EN 388 	COW LEATHER	DENIM FABRIC
LONG CUFF	10,5/XL		



KAMET

EN ISO 21420	EN 388 	GOAT LEATHER	DENIM FABRIC
LONG CUFF	10,5/XL		



OROSHI

EN ISO 21420	PU SPANDEX FABRIC	100% PES	REFLECTIVE TAPE
WARM 	10,5/XL		



GILAVAR

EN ISO 21420	PU PES	TOUCH SCREEN 	REFLECTIVE TAPE
WARM 	VELCRO FASTENER 	8/M - 11/XXL	

WORKING GLOVES



SARMA

EN ISO 21420	SYNTHETIC LEATHER	TRICKOT FABRIC	TOUCH SCREEN	FLUORESCENT FABRIC
9/L - 10/XL				



JASPER

EN ISO 21420	EN 388	KNITTED FABRIC	SILICONE DOTTED	BEST GRIP
BREATHABLE		10/XL		



CERIUM

EN ISO 21420	EN 388	100% COTTON	BREATHABLE	
	7/S - 10/XL			



BERYL

EN ISO 21420	EN 388	100% COTTON	BREATHABLE	
	9/L - 10/XL			



GALENA

EN ISO 21420	EN 388	100% COTTON	BREATHABLE	
	9/L - 10/XL			



PERITE

EN ISO 21420	EN 388	100% COTTON	BREATHABLE	
	9/L - 10/XL			



TRONA

EN ISO 21420	EN 388	KNITTED FABRIC	BREATHABLE	
	PVC DOTTED	10/XL - 11/XXL		



LAZURITE

EN ISO 21420	EN 388	70% PES 30% CO	BREATHABLE	
	PVC DOTTED	SEAMLESS	10/XL - 11/XXL	



KERRIA

EN ISO 21420	EN 388	LATEX	FLOCKED COTTON	
		7/S - 10/XL		



MAPLE

EN ISO 21420	EN 388	EN ISO 374-1:A1 EN ISO 374-4 EN ISO 374-5	CAT. III	NITRILE
FLOCKED COTTON	DIAMOND GRIP			7/S - 11/XXL



FLAX

EN ISO 21420	EN 388	EN ISO 374-1:A1 EN ISO 374-2 EN ISO 374-5	NEOPRENE LATEX	FLOCKED COTTON
		7/S - 10/XL		



4GRIP

EN ISO 21420	EN ISO 374-1:A1 EN ISO 374-4 EN ISO 374-5	EN 455-1 EN 455-2	NITRILE	DIAMOND GRIP
		8/M - 11/XXL		

WORKING GLOVES



ALOE

EN ISO 14791 EN ISO 15223-1 EN 1041+A1 ISO 10993-1 EN ISO 10993-5	EN 455-1 EN 455-2 EN 455-3	NITRILE		MD
6/XS - 11/XXL				



DAISY

EN ISO 14791 EN ISO 15223-1 EN 1041+A1 ISO 10993-1 EN ISO 10993-5	EN 455-1 EN 455-2 EN 455-3	POLYVINYL CHLORIDE 54%	DIOCTYL TEREPHTHALATE 44%	CALCIUM-ZINC STABILIZER 2%
MD	POWDER FREE	7/S - 10/XL		



KINGFA

EN ISO 14791 EN ISO 13485 EN 1041+A1 ISO 10993-1 EN ISO 15223-1	EN 455-1 EN 455-2 EN 455-3 EN 455-4	EN ISO 21420	NITRILE	MD
POWDER FREE		6/XS - 11/XXL	 OTHER COLORS	



IRIS

EN ISO 14791 EN ISO 15223-1 EN 1041+A1 ISO 10993-1 EN ISO 10993-5	EN 455-1 EN 455-2 EN 455-3	NITRILE		MD
7/S - 11/XXL				



TULIP

EN ISO 14791 EN ISO 15223-1 EN 1041+A1 ISO 10993-1 EN ISO 10993-5	EN 455-1 EN 455-2 EN 455-3	POLYVINYL CHLORIDE 54%	DIOCTYL TEREPHTHALATE 44%	CALCIUM-ZINC STABILIZER 2%
MD	POWDER FREE	7/S - 10/XL		



CROCUS

EN 455-1 EN 455-2 EN 455-3	LATEX	POWDERED		7/S - 10/XL
----------------------------------	-------	----------	--	-------------------

TOWELS

Excellent comfort, functionality and effective drying

Soft and delicate to the touch

High moisture absorption

4WRK[®]
we care

HYGIENE



BIZET

EN 14697	OEKO TEX®	100% COTTON	50 x 100 cm 70 x 140 cm
-------------	--------------	----------------	----------------------------



DORSET

EN 14697	OEKO TEX®	100% COTTON	50 x 100 cm 70 x 140 cm
-------------	--------------	----------------	----------------------------



TEXEL

EN 14697	OEKO TEX®	100% COTTON	50 x 100 cm 70 x 140 cm
-------------	--------------	----------------	----------------------------



CORMO

EN 14697	OEKO TEX®	100% COTTON	50 x 100 cm 70 x 140 cm
-------------	--------------	----------------	----------------------------

HELMET GUNNAR

Excellent impact resistance

Lightweight and durable

Adjustable size

Strength and wear resistance

4-point strap

4WRK[®]
we care

HEAD PROTECTION



ERIK

HDPE	53-62 CM	EN 397+A1
------	-------------	--------------



LEIF

ABS	PES	58-62 CM	EN 812	
-----	-----	-------------	--------	--



GUNNAR

ABS	53-62 CM	EN 397+A1
-----	-------------	--------------



ROLLO

ABS	PES	58-68 CM	EN 812	REFLECTIVE TAPE	
-----	-----	-------------	--------	--------------------	--



RAGNAR

HDPE	53-62 CM	EN 397+A1
------	-------------	--------------



EDGAR 2 IN 1

ABS EVA FOAM	POLYESTER COTTON	55-66 CM	EN 812	
-----------------	---------------------	-------------	--------	--



THOR

ABS	53-63 CM	EN 397+A1
-----	-------------	--------------



SIGURD

ABS	POLYESTER	58-62 CM	EN 812	
-----	-----------	-------------	--------	--

BJORN

REFLECTIVE TAPE

ECHO

High level of noise protection

Effective against impulse noise

Adaptability to different noise frequencies

Protection against continuous noise
SNR=34 dB, H=35 dB, M=31 dB, L=35dB

4WRK[®]
we care

HEARING PROTECTION



ECHO FM-1A

ABS, PC	SPONGE+PVC	SIZE: ADJUSTABLE	EN 352-1	INSULATION SNR=31 dB H=33 dB M=29 dB L=21 dB
---------	------------	---------------------	----------	--



ECHO FM-2

ABS, PC	SPONGE+PVC	SIZE: ADJUSTABLE	EN 352-1	INSULATION SNR= 33 dB H= 34 dB M= 31 dB L= 23 dB
---------	------------	---------------------	----------	--



ECHO FM-3

ABS, PC	SPONGE+PVC	SIZE: ADJUSTABLE	EN 352-1	INSULATION SNR= 34 dB H= 35 dB M= 31 dB L= 25 dB
---------	------------	---------------------	----------	--



ECHO FM-1D

ABS STAINLESS STEEL	SIZE: ADJUSTABLE	EN 352-3	INSULATION SNR= 28 dB H= 30 dB M= 27 dB L= 20 dB
------------------------	---------------------	----------	--



ECHO EC-1001A

PU FOAM	EN 352-1	NOISE PROTECTION 85 dB
------------	----------	------------------------------



ECHO EC-1001A-C

PU FOAM	EN 352-1	NOISE PROTECTION 85 dB
------------	----------	------------------------------

FRANK

SAFETY GLASSES

Advanced safety glasses

Effective protection against small

Splinters, dust and other
workplaces dangers

Provide protection and comfort

Optical class I



ALVARO

OPTICAL CLASS I	EN 166	POLYCARBONATE
--------------------	--------	---------------



BONO

OPTICAL CLASS III	EN 166	POLYCARBONATE
----------------------	--------	---------------



BONO SHADES

OPTICAL CLASS III	EN 166	POLYCARBONATE
----------------------	--------	---------------



CHRIS

OPTICAL CLASS I	EN 166	POLYCARBONATE
--------------------	--------	---------------



ELVIS

OPTICAL CLASS I	EN 166	POLYCARBONATE
--------------------	--------	---------------



FRANK

OPTICAL CLASS I	EN 166	POLYCARBONATE
--------------------	--------	---------------



MICK

OPTICAL CLASS II	EN 166	POLYCARBONATE
---------------------	--------	---------------



OZZY

OPTICAL CLASS I	EN 166	POLYCARBONATE
--------------------	--------	---------------



DUKE

OPTICAL CLASS II	EN 166	VINYL POLYCHROME
---------------------	--------	---------------------



ELTON

OPTICAL CLASS I	EN 166	VINYL POLYCHROME
--------------------	--------	---------------------



GORDIE

PVC	STEEL MESH	EN 1731	MASK ADJUSTMENT FULL FACE PROTECTION
-----	---------------	---------	---



WAYNE

PVC PU		EN 1731	MASK ADJUSTMENT FULL FACE PROTECTION
-----------	--	---------	---

FACE MASK

Disposable protective mask
with unique graphen technology

Ear mount

4WRK[®]
we care

RESPIRATORY PROTECTION



FM FS 16V FFP1 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 17V FFP1 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 20V FFP2 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 21V FFP2 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 223V FFP2 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 233V FFP3 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 30V FFP3 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC



FM FS 630V FFP3 NR D

EN 149+A1

POLYPROPYLENE
NONWOVEN
FABRIC

SHOES

INSOLES



4WRK[®]
we care

SHOES ACCESSORIES



TOE COVER

STEEL TOECAP 	EMBOSSED LEATHER	SIZE: UNIVERSAL
--	---------------------	--------------------



LACES 100 / 120

100% COTTON	SIZE: 100 cm / 120 cm
----------------	--------------------------



INS-EVA

MESH EVA	SIZE: 36-47
-------------	-------------



INS-EVA AS

MESH + EVA	SIZE: 36-47
------------	-------------



INS-FELT

FELT	SIZE: 39-47
------	-------------



INS-FOAM

POLYURETHANE FLEXIBLE LATEX	SIZE: 39-47
--------------------------------	-------------



INS-MESH

MESH FABRIC	SIZE: 39-47
----------------	-------------



MESH, EVA LATEX INS-SPORT

	SIZE: 35-40 41-46
--	----------------------



INS-PULATEX

MESH, EVA LATEX	SIZE: 35-40 41-46
--------------------	----------------------



INS-MEMO

FABRIC, MEMORY FOAM	SIZE: 35/36 37/38 39/40 41/42 43/44 45/46
------------------------	--



INS-MEMO PRO

FABRIC, MEMORY FOAM	SIZE: UNIVERSAL	LINE CUTTERS FOR INSERTS
------------------------	--------------------	-----------------------------

SHOES ACCESSORIES



INS-FELT G

FELT	SIZE: UNIVERSAL	LINE CUTTERS FOR INSERTS
-------------	---------------------------	-----------------------------



INS-RUN YB

EVA FABRIC	SIZE: 36-39 40-46
------------	-----------------------------



INS-RUN GB

FABRIC, POLIURETHANE	SIZE: 34-37 38-41 42-45 44-48
-------------------------	---



INS-ACTIVE

FABRIC, FOAM, LATEX	SIZE: 36/37 38/39 40/41 42/43 44/45 46/47
---------------------------	---



INS-THERMO

ALUMINIUM FELT	SIZE: UNIVERSAL
-------------------	---------------------------



INS-STERILE

FABRIC, LATEX	SIZE: UNIVERSAL
------------------	---------------------------



INS-COMF COCO

MESH, EVA,
COCONUT FIBER,
SILICONE, TPU


SIZE: 35-40
41-46



INS-ATHLET

POLYURETHANE,
FABRIC

SIZE: S 34-37
M 38-41
L 42-45
XL 44-48



INS-KEV

POLYMER FIBERS
STAINLESS STEEL

SIZE: 39-47



INS-FIT

POLYURETHANE,
FABRIC

SIZE: 39-47



INS-AIR

EVA

SIZE: 39-47



INS-SENTINEL

LEATHER
GEL

SIZE:
UNIVERSAL



INS-GUARDIAN

LEATHER GEL	SIZE: UNIVERSAL
----------------	--------------------



INSOCKS NY-500

100% POLYESTER	SIZE: 39-47
-------------------	----------------



SOCKS

65% COTTON
25% POLYESTER
7% ACRYLIC
3% ELASTAN

BREATHABLE



KNEE PAD LOGGERHEAD

Excellent shock absorbtion

Ergonomic shape

Knee compatibility

Durability

4WRK[®]
we care

OTHER PROTECTIVE EQUIPMENT AND ACCESSORIES



CARETTA

EVA FOAM	LIGHT 	EN 14404+A1
-------------	--	-------------



BOA

100% POLYESTER



MUSK

PVC POLYESTER FABRIC PE FOAM	EN 14404+A1	LIGHT 
------------------------------------	-------------	--



MAMBA

100% POLYESTER	METAL BUCKLE
-------------------	-----------------



LOGGERHEAD

POLYMER BLEND GEL PVC POLYESTER	EN 14404+A1	LIGHT 
--	-------------	--



COBRA

100% POLYESTER	METAL BUCKLE
-------------------	-----------------



TAIPAN

100% POLYESTER	ELASTIC BELT
-------------------	-----------------



ANACONDA

100% POLYESTER	METAL BUCKLE	ELASTIC BELT
-------------------	-----------------	-----------------



4CLIP

GLOVE HOLDER	QUICK FASTENING
-----------------	--------------------



LUX

PLASTIC RUBBER	STRENGTH 15%	UNIVERSAL SNAP CLOSURE
-------------------	-----------------	------------------------------



WARNING TAPE

POLYETHYLENE	BLACK YELLOW 75 mm x 100 m	RED - WHITE 75 mm x 100 m 75 mm x 200 m 75 mm x 500 m
--------------	----------------------------------	--



ANTISPLASH

PAINTING PROTECTIVE FOIL	55 cm x 20 m	110 cm x 20 m	140 cm x 20 m
THICKNESS 7± MIC DENSITY 0,93 g/cm ³	180 cm x 20 m	220 cm x 20 m	270 cm x 20 m



GAUKE - FIRST HELP KIT

BANDAGE PATCH SET DIN 13019-E	BANDAGE TAPE DIN 13019-A	SCISSORS DIN 58279-A	PROTECTIVE MASK EN 14683	ELASTIC BANDAGE DIN 61634-FB 6
INDIVIDUAL DRESSING DIN 13151-G/K/M	TRIANGULAR SLING DIN 13168-D	VINYL GLOVES DIN EN 455	TYPE BANDAGE SLING DIN 13152-A	

OTHER PROTECTIVE EQUIPMENT AND ACCESSORIES



COVERALL

PP	50 GSM	30 GSM	CAT. I	SIZES: S-3XL	100 pcs / bag 2000 pcs / ctn
----	-----------	-----------	--------	-----------------	---------------------------------



WINTER JACKET 6IN1

AURORA

Reflective color increases
visability and safety

6in1 jacket - can be worn in 6 variations

Windproof, waterproof, stand up well
to low and high temperatures

Does not absorb moisture

Wide range of different pockets for storage

Hood tucked into the collar

CLOTHING



AURORA

100% POLYESTER	6in1	REFLECTIVE TAPE	VELCRO FASTENER	WARM
INTERNAL CUFF	ID HOLDER			EN ISO 20471 Sizes: M-2XL
				EN ISO 20471 Sizes: M-2XL
				Sizes: XS-M



YUKON

100% POLYESTER	VISIBILITY CLASS III	INTERNAL CUFF		WARM
HIDDEN HOOD	DETACHABLE HOOD	REFLECTIVE TAPE	EN ISO 20471	SIZES: M-3XL



FROST

100% COTTON	FLANNEL WEIGHT: 160 GSM	WARM	SIZES: S-3XL
----------------	-------------------------------	------	-----------------



GLACIER

100% POLYESTER	REFLECTIVE TAPE	INTERNAL CUFF	HIDDEN HOOD	DETACHABLE HOOD
WARM	SIZES: M-3XL			



SUBZERO

100% POLYESTER	VISIBILITY CLASS III	VELCRO FASTENER	REFLECTIVE TAPE	HIDDEN HOOD
WARM		EN ISO 20471	SIZES: M-3XL	



VIRGA JACKET

PU/PES	0.45 MM THICKNESS	190 GSM		WATERPROOF
SIZES: M-3XL				



VIRGA TROUSERS

PU PES	0,45 mm THICKNESS	190 GSM		WATERPROOF
-----------	----------------------	------------	--	------------

SIZES:
M-3XL



TEMPEST

PVC PES	0,25 mm THICKNESS	240 gsm	WHITE ZIPPER	SIZES: M-3XL
------------	----------------------	---------	-----------------	-----------------



METIS

100% POLYESTER	BIRD EYE FABRIC	REFLECTIVE TAPE	BREATHABLE	SIZES: S-3XL
-------------------	--------------------	--------------------	------------	-----------------



VIRGA APRON

PVC PES	WATERPROOF	SIZES: 120 x 90 cm 120 x 120 cm
------------	------------	---------------------------------------



LUNA

100% POLYESTER	100 GSM	REFLECTIVE TAPE	EN ISO 20471 HV YELLOW HV ORANGE	BIRD EYE FABRIC	SIZES: M-3XL
-------------------	------------	--------------------	---	--------------------	-----------------



CALLISTO

100% POLYESTER	BIRD EYE FABRIC	REFLECTIVE TAPE	BREATHABLE	SIZES: S-3XL
-------------------	--------------------	--------------------	------------	-----------------

CLOTHING



PROTEUS

100% POLYESTER	BIRD EYE FABRIC	REFLECTIVE TAPE	BREATHABLE	SIZES: S-3XL
-------------------	--------------------	--------------------	------------	-----------------



OBERON

100% POLYESTER	BIRD EYE FABRIC	REFLECTIVE TAPE	BREATHABLE	SIZES: S-3XL
-------------------	--------------------	--------------------	------------	-----------------



ALASKA

66% PA 28% PES 6% ELASTANE	220 GSM	QUICK DRYING	FLEXIBLE	SIZES: S-3XL
----------------------------------	------------	-----------------	----------	-----------------



HORNET

65% CO 35% PES	280 GSM	FLEXIBLE	SOFT FABRIC	REINFORCED KNEES	SIZES: S-3XL
-------------------	------------	----------	----------------	---------------------	-----------------



HORNET PRO

65% CO 35% PES	280 GSM	FLEXIBLE	SOFT FABRIC	REINFORCED KNEES	SIZES: S-3XL
-------------------	------------	----------	----------------	---------------------	-----------------



CRICKET

65% CO 35% PES	280 GSM	FLEXIBLE	SOFT FABRIC	SIZES: S-3XL
-------------------	------------	----------	----------------	-----------------



T-SHIRT

100% COTTON	FLEXIBLE 	SOFT FABRIC 	SIZES: S-3XL	145	
				GSM	
				150	
				GSM	
				180	
				GSM	



HERA

100% COTTON	SOFT FABRIC 	160 GSM	SIZES: S-3XL
----------------	-----------------	------------	-----------------



ESSEX

65% CO 35% PES	280 GSM	FLEXIBLE 	SOFT FABRIC 	SIZES: S-2XL
-------------------	------------	--------------	-----------------	-----------------

CLOTHING



FLORYDA

70% CO 28% PES 2% ELASTAN	345 GSM			SIZES: S-3XL
---------------------------------	------------	--	--	-----------------



RIO

60% CO 38% PES 2% ELASTAN	245 GSM			SIZES: 46-64
---------------------------------	------------	--	--	-----------------



PARANA

60% CO 38% PES 2% ELASTAN	245 GSM			SIZES: 46-64
---------------------------------	------------	--	--	-----------------



NEVADA

70% CO 28% PES 2% ELASTAN	345 GSM			SIZES: S-3XL
---------------------------------	------------	--	--	-----------------



TRACER

65% PES 33% CO 2% ELASTAN	260 GSM			SIZES: S-2XL
---------------------------------	------------	--	--	-----------------

OTHER OPTIONS:
BLACK - BLACK
NAVY - BLACK



STINGER

90% NYLON 10% ELASTANE	255 GSM			SIZES: S-3XL
---------------------------	------------	--	--	-----------------



COMMANDO

sizes 46-64	260 GSM	75% PES 25% CO	CORDURA REINFORCED	ZIPPER CLOSURE	CHEST POCKETS	REINFORCED ARMS	FLEXIBLE SUSPENDERS
----------------	------------	-------------------	-----------------------	-------------------	------------------	--------------------	------------------------



MAGNUM

sizes 46-64	235 GSM	65% PES 35% CO	OXFORD REINFORCED	ZIPPER CLOSURE	CHEST POCKETS	REINFORCED ARMS	RIPSTOP FABRIC	FLEXIBLE SUSPENDERS
----------------	------------	-------------------	----------------------	-------------------	------------------	--------------------	----------------	------------------------



STRIKER

sizes 46-64	235 GSM	65% PES 35% CO	OXFORD REINFORCED	ZIPPER CLOSURE	CHEST POCKETS	REINFORCED ARMS	FLEXIBLE SUSPENDERS
----------------	------------	-------------------	----------------------	-------------------	------------------	--------------------	------------------------

CLOTHING



OLAF

100% Acrylic	 WARM
-----------------	----------

100% Acrylic	 REFLECTIVE STRIP	 WARM
-----------------	----------------------	----------

100% Acrylic	 WARM	 LED LIGHT
-----------------	----------	---------------



BABE

175 GSM	100% COTTON	VELCRO FASTENER	 BREATHABLE
------------	----------------	--------------------	----------------

LOU

270 GSM	100% COTTON	METAL FASTENER	 BREATHABLE
------------	----------------	-------------------	----------------



TED

100% POLYESTER	 REFLECTIVE STRIP	VELCRO FASTENER
-------------------	----------------------	--------------------

DISPOSABLE
MEDICAL
PRODUCTS



DOCTOR CAP WITH TIE

PP	20 GSM	100 pcs / bag 1000 pcs / ctn
-----------	-------------------	---



BOUFFANT CAP

PP	12 GSM	100 pcs / bag 1000 pcs / ctn
-----------	-------------------	---



MOB CAP

PP	10 GSM	100 pcs / bag 2000 pcs / ctn
-----------	-------------------	---



BEARD COVER

PP	10 GSM	100 pcs / bag 2000 pcs / ctn
-----------	-------------------	---



SLEEVE COVER

PE	40 x 22 cm	100 pcs / bag 2000 pcs / ctn
-----------	-----------------------	---



MEDICAL SHEET IN ROLL

PP	15 / 35 gsm 50 pieces / 1 roll	PERFORATION FOR TEARING
80 X 180 CM DIMENSIONS OF SINGLE SHEET		



SHEET WITH ELASTIC BAND

PP	40 GSM	210 X 150 cm	1 pc / bag 100 pcs / ctn
-----------	-------------------	--------------	-----------------------------



DISPOSABLE ABSORBENT PADS

PAPER, NONWOVEN FABRIC, POLYMER, CELLULOSE PULP, BASE FILM	40 x 60 cm	25 pcs / bag 250 pcs / ctn
	60 x 90 cm	25 pcs / bag 200 pcs / ctn



COLONOSCOPY PANTS

PP	40 GSM	70 x 130 cm	10 pc / bag 100 pcs / ctn
-----------	-------------------	----------------	------------------------------



DISPOSABLE PATIENT PANTS

PP	40 GSM	42 x 70 cm	50 pc / bag 500 pcs / ctn
-----------	-------------------	---------------	------------------------------



GYNECOLOGICAL SHIRT

PP	40 GSM	53 x 68 cm	10 pc / bag 100 pcs / ctn
-----------	-------------------	---------------	------------------------------



APRON F1

PP	40 GSM	SIZES: S-3XL	1 pc / bag 150 pcs / ctn
-----------	-------------------	-------------------------	-----------------------------



MED LINEN

PP	25 GSM	40 GSM	200 x 150 cm QUILT BED SHEET	90 x 75 cm PILLOW COVER
----	-----------	-----------	------------------------------------	-------------------------------



LILY SMS

PP	35 GSM	43 GSM	WAIST STRAPS	SIZES: S-3XL	3 POCKETS
----	-----------	-----------	-----------------	-----------------	--------------







EXPLANATIONS OF STANDARDS AND SYMBOLS



The product meets the requirements of the so-called directives „New Approach” of the European Union



The label for textiles tested for harmful substances. It provides a benchmark for textile safety, from yarn to finished product.



• agriculture
rolnictwo



• building
budownictwo



• electronical industry
przemysł elektroniczny



• heavy industry
przemysł ciężki



• light industry
przemysł lekki



• services & maintenance
mechanika, usługi, konserwacja



• electrical
branża elektryczna



• medical and cosmetic industry
przemysł kosmetyczny i medyczny



• ecology and special waste disposal
ekologia i utylizacja odpadów



• gardening
ogrodnictwo



• hydraulic
hydraulika



• logistics industry
przemysł logistyczny



• petrochemical industry
przemysł petrochemiczny



• lekki



• oddychający



• elastic cuff
elastyczny mankiet



• coating
materiał powleczenia



• cut-resistant
odporne na przecięcie



• dotted coating
kropkowane powleczenie



• for manual work
do prac manualnych



• upper material
materiał cholewki

KNIT FABRIC / **DZIANINA**
FABRIC / **TKANINA POLIESTROWA**
MICROFIBER / **MIKROFIBRA**
KPU / **ELASTYCZNE TWORZYWO SZTUCZNE**
TPU / **ELASTYCZNY POLIURETAN**
SUEDE LEATHER / **SKÓRA ZAMSZOWA**
COWHIDE SPLIT LEATHER / **SKÓRA BYDLĘCA**
SMOOTH LEATHER / **GLADKA SKÓRA**
TWO LAYER LEATHER / **SKÓRA DWUWARSTWOWA**
EMBOSSED LEATHER / **SKÓRA TŁOCZONA**



• sole material
materiał cholewki

PVC / **POLICHLOREK WINYLU**
PU / **POLIURETAN**
RUBBER / **GUMA**
AIR CUSHION / **PODUSZKA POWIETRZNA**

PES - POLYESTER / POLIESTER

CO - COTTON / BAWĘLNA

PP - POLYPROPYLENE / POLIPROPYLEN

PE - POLYETHYLENE / POLIETYLEN



• kompozytowy
podnosek



• stalowy
podnosek



• kevlarowa
wkładka antyprzebićowa



• stalowa
wkładka antyprzebićowa



• not for the food industry
nie do przemysłu spożywczego



• for the food industry
do przemysłu spożywczego



• reinforcement of the cap
wzmocnienie wnętrza czapki



• ocieplenie



• maniet wewnętrzny



• hidden hood
chowany kaptur



• detachable hood
odpinany kaptur



• taśma odblaskowa



• velcro fastener
zapięcie na rzep



• fabric weight
gramatura materiału



• fabric thickness
grubość materiału



• flexible material
elastyczny materiał



• composition
skład



• tkanina typu "bird eye"



• functional pockets
funkcjonalne kieszenie



• stretch fabric
rozciągliwy materiał



• zipper closure
zapięcie na zamek



• flexible suspenders
elastyczne szelki



• reinforced knees
wzmocnione kolana



• miękki materiał



• wodoodporny



• odporny na olej



• idealny chwyt

REGULATION 2016 / 425

The Directive on Personal Protective Equipment (PPE) was enacted in April 2016, replacing Directive 89/686, which had been in effect since 1995. The main changes include:

- uniform application in all member states of the European Union
- type examination certificate (AET) is valid for 5 years
- easy access to EU declaration of conformity,
- standardization of requirements for notified laboratories

EN ISO 20347

Personal protective equipment - occupational footwear (without protective toe cap).

EN ISO 20345

Personal protective equipment - the safety footwear with toe caps designed in order to provide protection against hit which is tested at the energy level of 200J.

EN ISO 20349-2: + A1

Personal protective equipment - footwear protecting against risks in foundries and welding.

EN ISO 613440-5-1:2016

Personal protective equipment - ESD footwear.

EN ISO 21420

The main criteria for protective gloves are: -safety of use,
-dimensional stability,
-effectiveness in maintaining dexterity,
-material composition of gloves.
-packaging, storage, maintenance and cleaning methods
Provide information to users on operating instructions.

EN 388

Gloves designed for protection against mechanical hazards are adapted to the changing requirements of the technical glove market, which takes into account the EN 2016 standard. In situations where gloves subjected to intensive use cause significant wear of the test blade in accordance with EN 388, we recommend a test using the TDM method, in accordance with ISO 13997. This approach results in the introduction of a new marking system:

- | | |
|-------------------------|--|
| 1 - Abrasion resistance | 4 - Puncture resistance |
| 2 - Cut resistance | 5 - Cut resistance according to standard 13997 |
| 3 - Tear resistance | |

EN 12477

Protective gloves for welders are evaluated on the basis of the results of tests conducted in accordance with EN 407, and then classified into two categories:

Type A: Providing higher thermal protection

Type B: Characterized by greater agility

EN 407

Gloves that provide protection against thermal risks.

- 1 - Resistance to fire
- 2 - Resistance to contact with high temperature
- 3 - Resistance to convective heat
- 4 - Resistance to radiant heat
- 5 - Resistance to small splashes of liquid metal
- 6 - Resistance to large splashes of liquid metal

Resistance to contact with high temperature:

- Level 1 - Manipulation of a 1000C element for at least 15 seconds
- Level 2 - Manipulation of a 2500C element for at least 15 seconds
- Level 3 - Manipulation of a 3500C element for at least 15 seconds
- Level 4 - Manipulation of a 5000C element for at least 15 seconds

EN 511

The EN 511 standard evaluates gloves in terms of protection against three types of cold-related hazards:

X – resistance to convective cold (0–4)

Y – resistance to contact cold (0–4)

Z – resistance to water penetration (0 or 1)

Detailed explanation of parameters:

1. Convective cold (X) – range 0–4

Refers to protection against cold transmitted through the air (e.g., wind).

0 – no protection

1 – low level of protection

2 – medium level of protection

3 – high level of protection

4 – very high level of protection

The higher the number, the better the thermal insulation of the glove.

2. Contact cold (Y) – range 0–4

Applies to protection against cold surfaces (e.g., metal, ice).

0 – no protection

1 – basic protection

2 – good protection

3 – high protection

4 – very high protection

Important, for example, when working with cold tools or in cold stores.

3. Water resistance (Z) – 0 or 1

Determines the glove's resistance to water penetration after 30 minutes:

0 – the glove is permeable to water

1 – the glove is impermeable to water

EN 397

Specifies requirements for safety helmets worn in industry and other workplaces where there is a risk of head injury.

The main criteria include:

- impact resistance,
- penetration resistance,
- resistance to low and high temperatures,
- resistance to chemicals.

The standard aims to ensure that safety helmets used in workplaces meet appropriate safety standards and provide effective protection against head injuries.

EN 812

The main criteria for protective bump caps are: -safety of use, -dimensional stability, -effectiveness in maintaining agility, -material composition of helmets -packaging, storage, maintenance and cleaning methods.

The standard is intended to ensure that safety helmets used in workplaces where the risk of head injury is mainly due to impacts with hard surfaces or objects meet certain safety standards and provide protection and comfort to wearers.

EN 166

It defines the requirements for eye and face protection and classifies different types of protective glasses and face shields. Below is a general description of this standard:

- classification of eye and face protection,
- construction requirements,
- material and optical coatings,
- labeling,
- fitness and comfort.

SALES NETWORK

POLSKA GRUPA TEKSTYLNA Sp. z o. o.
ul. Zeusa 27, 01-497 Warsaw, Poland

TRADE OFFICE:
Warszawska 21, 16-070 Choroszcz, Poland
office@polishtextilegroup.com

OTHER EUROPEAN COUNTRIES

MICHAŁ JEŻEWSKI

SALES MANAGER
michal@polishtextilegroup.com

POLAND / SLOVAKIA / CZECH REPUBLIC / UKRAINE

Michał Wójcik

phone: +48 606 988 965
email: michal.w@polishtextilegroup.com

Monika Laskowska

phone: +48 530 947 354
e-mail: monika.l@polishtextilegroup.com

POLAND

Mateusz Myśliwiec

phone: +48 531 235 954
e-mail: mateusz@polishtextilegroup.com

Marcin Waszkuć

phone: +48 534 431 323
email: marcin@polishtextilegroup.com

LITHUANIA / LATVIA / ESTONIA

Andrius Palivonas

phone: +37 068 553 811
email: andrius@polishtextilegroup.com

GREECE

Georgios Chatzimichailoglou

phone: +306 987 240 898
email: george@polishtextilegroup.com

PGT CARPATI, ROMANIA

Cristian Manea

phone: +40 711 956 978
email: cristian@polishtextilegroup.com

Gheorghe Nistea

phone: +40 787 304 029
email: gheorghe@polishtextilegroup.com

PGT BRAZIL PGT SOUTH AMERICA TEXTIL LTDA

Av. Paulista 2202, Cj. 66 - Sao Paulo
SP 01310-932

Guilherme Pimentel

contato@pgtbrasil.com
guilherme@polishtextilegroup.com
phone: +55 (31) 99599-0305

PTG IBERICA LDA, PORTUGAL, SPAIN

Rua Comendador Brandão, 484
4495-375 Póvoa de Varzim
email: claudio@pgtiberica.com
phone: +351 252 147 972

PEGETE ORIENT PVT LTD. INDIA

90B, Delhi - Jaipur Expy, Udyog
Vihar, Sector 18, Gurugram, Haryana
12200
sandeep@polishtextilegroup.com
phone: +91-96509 65835

PGT KFT HUNGARY

Attila Szrenka

attila.sz@polishtextilegroup.com
phone: +36 304662116

PGT UKRAINE LTD

Chernivtsi city Golovna str. build. 59 Ukraine


Ivan Kilenko


ivan@polishtextilegroup.com
phone: +38 067 399 67 39
office.ue@polishtextilegroup.com

PGT TURKEY TEKSTIL TICARET LTD. STI.

Oğuzhan Alpat

oguzhan@polishtextilegroup.com
phone: +90 507 334 32 52,
+48 602 697 039





Polish Textile Group

**ALWAYS STAY
UP TO DATE!**

Instagram



Android



iOS



B2B platform



Facebook



4WRK[®]
we care